Fluid Phase Equilibria, 96 (1994) 239–240
Elsevier Science B.V.

Contents of Volume 96 (1994)

Estimation of the molar free energy of melting of crystals from solubility data according to the theory of the mobile disorder
P. Huyskens, K. Seghers and H. Morissen (Heverlee, Belgium) 1–18

A generalized vapor pressure equation for heavy hydrocarbons
C.H. Twu, J.E. Coon and J.R. Cunningham (Brea, CA, USA) 19–31

Excess properties and solid–liquid equilibria for aqueous solutions of sugars using a UNIQUAC model
M. Catté, C.-G. Dussap, C. Achard and J.-B. Gros (Aubière, France) 33–50

Effect of translation on the prediction of saturated densities of binary mixtures with a Peng–Robinson equation of state
N. Voros, S. Stamataki and D.P. Tassios (Athens, Greece)..... 51–63

Application of the van der Waals equation of state to polymers. I. Correlation
G.M. Kontogeorgis (Lyngby, Denmark), V.I. Harismiadis (Amsterdam-Noord, The Netherlands), A. Fredenslund (Lyngby, Denmark) and D.P. Tassios (Zographos, Greece)..... 65–92

Application of the van der Waals equation of state to polymers. II. Prediction
V.I. Harismiadis (Amsterdam-Noord, The Netherlands), G.M. Kontogeorgis, A. Fredenslund (Lyngby, Denmark) and D.P. Tassios (Zographos, Greece) 93–117

Correlation and prediction of the solubility of N_2O in mixed solvents
Y.-G. Li and A.E. Mather (Edmonton, Alta., Canada) 119–142

Vapor–liquid equilibria of some hydrogen + hydrocarbon systems with the Wong–Sandler mixing rule
H. Huang, S.I. Sandler (Newark, DE, USA) and H. Orbey (Ankara, Turkey)..... 143–153

Application of the generalized van der Waals theory and approximations of radial distribution functions to the development of mixing rules
M.-H. Li and F.-N. Huang (Chung-Li, Taiwan) 155–172

Determination of densities and dielectric polarizabilities of methane at 298.15 K for pressures up to 710 MPa
P. Malbrunot, J. Vermesse, D. Vidal (Villetaneuse, France), T.K. Bose, A. Hourri and J.M. St-Arnaud (Trois-Rivières, Que., Canada) 173–183

Liquid–liquid equilibria in binary mixtures of *N*-methyl-α-pyrrolidone and saturated hydrocarbons
S. Malanowski (Warsaw, Poland), H.-J. Bittrich, D.A. Lempe, K. Reinhardt and J.U. Wüstling (Merseburg, Germany) 185–193

Excess molar heat capacities of binary mixtures of the isomeric xylenes at 303.65–321.65 K
D.V.S. Jain, R. Chadha and S.K. Sehgal (Chandigarh, India) 195–202

Measurement of osmotic pressure in aqueous solutions of poly(ethylene glycol) and poly(*N*-isopropylacrylamide)
K. Nagahama, H. Inomata and S. Saito (Sendai, Japan)..... 203–214

A note on a modified Huron–Vidal mixing rule consistent with the second virial coefficient condition
K. Tochigi, P. Kolář, T. Iizumi and K. Kojima (Tokyo, Japan) ... 215–221
Comments on: Hydrate dissociation enthalpy and guest size
P. Skovborg and P. Rasmussen (Lyngby, Denmark)..... 223–231
Reply to "Comments on: Hydrate dissociation enthalpy and guest size"
E.D. Sloan, Jr., (Golden, CO, USA) and F. Fleyfel (Houston, TX, USA)..... 233–235

Subject Index..... 237

Author Index..... 238

Contents of Volume 96 (1994)..... 239–240